

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

6273




OBERLIN PEONY GARDENS

THOMAS J. OBERLIN • REUBEN L. OBERLIN

425 Penn Avenue

SINKING SPRING (Berks County), PENNA.

1214



U. S. DEPARTMENT OF AGRICULTURE,

WASHINGTON, D. C.

BUREAU OF PLANT INDUSTRY
Horticultural Crops and Diseases

8-3591

TREE PEONIES (*Paeonia arborea*)

THIS species is the first to bloom in the early spring, preceding the *Officinalis* and *Chinensis* or *Herbaceous* sections by two to three weeks, according to variety. It is shrubby in character, while the *Officinalis* and *Chinensis* sections are *Herbaceous*.

The shrub starts to produce an increasing number of sprouts from below, and in this natural way it continues to live and prolong its life, at the same time enlarging the clump. Therefore, in pruning, no living wood should be cut, but only part of the shrub that has been winter-killed should be removed.

It will require several seasons for it to become thoroughly established and show the perfection of its bloom. Double varieties will sometimes bloom single and semi-double until thoroughly established. The flowers are larger than those of the *Herbaceous* varieties, with a crêpe-paper-like texture and ruffled and crimped on the edges of the petals. A well-established, mature bush is truly a gorgeous sight when in full bloom, growing 3 to 4 feet in height and spread and bearing 25 to 100 blooms.

South and east exposures, in open spaces and in full sunlight, are the best locations. If planted where they are exposed to north or west winter winds, they should have protection by mulching with dry leaves or a screen the first year.



PÆONIA ARBOREA (Tree Peony) BANKSI, 10 years old, on its own roots, 4 feet high, 15 feet in circumference, bore 125 double, flesh-pink flowers in 1929.—Oberlin Peony Gardens, Sinking Spring, Pa.

European Tree Peonies

	Each
Athlete. Large, double; pale rose-purple. 2 to 5 years old	\$5 00
Banksi. Large, double; flesh-pink. 2 to 5 years old	2 00
Own roots, strong blooming shrubs	4 00
Large specimens, 8 to 10 years old	10 00
Baronne d'Ales. Very large, full; vivid pink, with dark center. 2 to 5 years old	5 00
Coquette des Blanches. Large, double; pure white. 2 to 5 years old	5 00
Comtesse de Tudor. Very large, double; lovely shade of salmon. 2 to 5 years old	5 00
Fragrans Maxima Plena. Beautiful clear rose. 2 to 5 years old	5 00
Jeanne d'Arc. Very attractive salmon-rose. 2 to 5 years old	5 00
Lactea. Large, double; pure white. 2 to 5 years old	5 00
La Lorraine. Large, very double; soft sulphur-yellow with salmon tinge. 2 to 5 years old	15 00
Lambertinae. Double; pure white, shaded violet-pink. 2 to 5 years old	5 00
La Ville de St. Denis. Large; flesh-white. 2 to 5 years old	5 00
Louise Moucheton. Very large; rose-salmon. 2 to 5 years old	5 00
Mme. Stuart Low. Bright salmon-red. 2 to 5 years old	5 00
Osiris. Beautiful dark, velvety red. 2 to 5 years old	5 00



PÆONIA ARBOREA (Tree Peony) REIN-KAHU (Flight of Cranes). Pure white.
Oberlin Peony Gardens, Sinking Spring, Pa.

EUROPEAN TREE PEONIES, continued

	Each
Princess Mathilda. Large, double; clear rose-flesh. 2 to 5 years old	\$5 00
Reine Elizabeth. Very large, double, free flowering; bright rose-salmon. 2 to 5 years old	5 00
Robert Fortune. Large; very fine brilliant carmine-red. 2 to 5 years old	5 00
Rococo. Large, full, double; solferino-red. 2 to 5 years old	5 00
Souvenir de Ducher. Double; fine amaranth-red. 2 to 5 years old	5 00
Own roots, strong blooming shrubs	12 00
Souvenir de Maxime Cornu. Very double, fragrant; deep yellow, heavily shaded orange-salmon. 2 to 5 years old	15 00
Own roots, strong blooming shrubs	35 00
Triomphe de Vandermælen. Large, double; vivid violet-pink. 2 to 5 years old	5 00

Japanese Tree Peonies

Beikoku (America). Semi-double; beautiful soft flesh-pink. 2 to 5 years old	5 00
Own roots, strong blooming shrubs	12 00
Fuji-no-mori (The Woods of Mt. Fuji). Large, semi-double; beautiful violet-mauve. 2 to 5 years old	2 50
Own roots, strong blooming shrubs	5 00
Hakubauriso (White Dragon). Large, semi-double, fragrant; pure white, with central cushion of golden anthers. 2 to 5 years old	5 00
Own roots, strong blooming shrubs	12 00
Moutan. Large, single; maroon-red. The first to bloom. 2 to 5 years old	2 00
Own roots, strong blooming shrubs	4 00
Panama. Large, semi-double; brilliant salmon-rose, with central cushion of golden anthers. 2 to 5 years old	5 00
Own roots, strong blooming shrubs	12 00
Rein-Kahu (Flight of Cranes). Large, semi-double, fragrant; pure white, with central cushion of golden anthers. 2 to 5 years old	5 00
Own roots, strong blooming shrubs	12 00
Ruribana. Large, semi-double; satiny dark red. 2 to 5 years old	5 00
Shishi-no-Tategami (Lion's Mane). Large, semi-double; light salmon-pink. 2 to 5 years old	5 00
Own roots, strong blooming shrubs	12 00
Ukaregi-Ohi (Golden Center). Large, semi-double; brilliant warm salmon-rose, with central cushion of golden anthers. An outstanding and popular variety. 2 to 5 years old	3 50
Own roots, strong blooming shrubs	7 00
Yoyonohomare (King of Peonies). Very large (10 in. across), semi-double; bright rose. 2 to 5 years old	5 00
Own roots, strong blooming shrubs	15 00



Peony, *Festiva Maxima*

Chinensis Section

In order to assist the purchaser in making his selection easy, we have carefully classified Peonies as to color and season of bloom in a systematic manner in the following list.

The ratings of the American Peony Society are given, following the name of the introducer and time of introduction. The highest rating a Peony can attain is 10; this is considered perfection.

White Peonies

EARLY

7. <i>Grandiflora Nivea Plena</i> . (Lémon, 1824.)	8.1. Each large, globular rose type; milk-white; very fragrant. First white Peony to bloom	90
8. <i>Festiva Maxima</i> . (Mielitz, 1851.)	9.3. The very largest milk-white bloom, flecked crimson. Magnificent	30
9. <i>Festiva</i> . (Donkelaer, 1838.)	8.0. A very prolific bloomer. Creamy white blooms with crimson spots. Not so large as <i>Festiva Maxima</i>	30
10. <i>Mme. de Verneville</i> . (Crousse, 1885.)	7.9. Large, very full, bomb-type flower, with pure white center, blush when first open; fragrant. Medium height	40
11. <i>Duchesse de Nemours</i> . (Calot, 1866.)	8.1. Wonderful buds; cup-shaped sulphur-white bloom, no crimson flakes	30
12. <i>La Tendresse</i> . (Crousse, 1896.)	8.1. Large, compact, flat rose type; uniform milk-white, splashed guards, center flecked crimson. Strong; free bloomer	30

MIDSEASON

13. <i>Mme. Crousse</i> . (Calot, 1866.)	7.9. Medium size; pure white, center flecked crimson; most fragrant. Strong, stiff stem. Best all-round white	30
14. <i>Mons. Dupont</i> . (Calot, 1872.)	8.3. Flat, milk-white bloom, splashed crimson. Erect, tall; free bloomer	45
15. <i>Avalanche</i> . (Crousse, 1886.)	8.7. Very large, compact, pure white blooms, edged with a light line of crimson. Very strong; extremely free bloomer	30
16. <i>James Kelway</i> . (Kelway, 1900.)	8.7. Large, rose-white bloom, showing golden stamens. Changes to milk-white. Tall, vigorous; free bloomer	50
17. <i>Mme. Emile Lemoine</i> . (Lémoine, 1899.)	8.9. Large, globular, compact, semi-rose type; milk-white	50
18. <i>Le Cygne</i> . (Lémoine, 1907.)	9.9. Perfectly formed, milk-white, globe-shaped blooms with no markings or stamens; very fragrant. Erect; strong stems	2 25
19. <i>Jubilee</i> . (Pleas, 1908.)	8.9. Very large, double flowers with long, narrow, white petals having a greenish tinge. Tall; free flowering; long stems	1 50
20. <i>Mrs. Edward Harding</i> . (Shaylor, 1918.)	9.3. Blooms double, large, white, illuminated by golden stamens under the petals. Medium height; free blooming; stiff stems	2 00
21. <i>John M. Good</i> . (Welsh, 1921.)	9.3. Double type; large; outer petals very large, graduating smaller; very pale pink, shading to pure white; richly fragrant. Tall, vigorous; moderately floriferous; stiff stems	3 50
22. <i>Frankie Curtis</i> . (Vories, 1924.)	9.3. Flower double, very large, delicate flesh-pink, changing to pure white; guards broad. Medium tall; floriferous; stiff stems	10 00
23. <i>Kelway's Glorious</i> . (Kelway, 1909.)	9.8. Double type; very large; white, crimson streaks on outside guard petals; strong rose fragrance. Medium height; free flowering; strong stems	2 50
24. <i>Alice Harding</i> . (Lémoine, 1922.)	9.5. Guard petals bluish-pink, center creamy white	20 00
25. <i>Nina Secor</i> . (Secor, 1922.)	9.0. Pure white, with glowing yellow depths	4 00

LATE WHITE PEONIES

26. <i>Alsace-Lorraine</i> . (Lemoine, 1906.)	8.8. Semi-rose Each form; pointed white petals suffused with a golden light	\$ 50
27. <i>Baroness Schroeder</i> . (Kelway, 1889.)	9.0. Very large, rose type; flesh-white bud bleaching to white; extremely fragrant. Strong grower	45
28. <i>Couronne d'Or</i> . (Calot, 1873.)	8.1. Large, flat, semi-rose type; ivory-white; fragrant. Very free bloomer	30
29. <i>Marie Lemoine</i> . (Calot, 1869.)	8.5. Large, globular, pure white flower with cream center and occasional carmine tip. Extra-strong stem	30
30. <i>Mireille</i> . (Crousse, 1894.)	7.7. Large, very full, milky white flower. Very late	30
31. <i>Elizabeth Barrett Browning</i> . (Brand, 1907.)	9.2. Very large, semi-rose type. Blooms in the bud appear pure glistening white; fragrant. Extra fine	1 00
32. <i>Enchanteresse</i> . (Lémoine, 1903.)	8.9. Very large, fragrant, creamy white flower. Tall, strong, vigorous grower	75
33. <i>Grace Loomis</i> . (Saunders, 1920.)	9.2. Large, double, white flower with faint lemon tints and mild fragrance. Medium height; floriferous; strong stems	5 00

Pale Pink Peonies

EARLY

34. <i>Umbellata Rosea</i> . (Dessert, 1895.)	7.4. One of the very earliest varieties. Flowers pink and cream. Extra good for landscape and cut bloom	30
35. <i>Mme. Calot</i> . (Mielitz, 1856.)	8.1. Very large, rose type; pale hydrangea-pink center shaded darker	30
36. <i>Judge Berry</i> . (Brand, 1907.)	8.6. Large, flat, soft light pink blooms. Very early	1 25
37. <i>Eugenie Verdier</i> . (Calot, 1864.)	8.6. Flat, pale hydrangea-pink bloom; fragrant. Very tall, erect; free bloomer. One of the showiest	25
38. <i>Octavie Demay</i> . (Calot, 1867.)	8.5. Very large, flat crown; guards and center pale hydrangea-pink; collar almost white; fragrant	45
39. <i>La Fee</i> . (Lémoine, 1906.)	9.2. Very large, erown type; extremely double; petals very long, light old-rose-pink, with narrow collar of creamy pink. Very strong, tall grower; free bloomer	1 50

MIDSEASON

40. <i>Lady Alexandra Duff</i> . (Kelway, 1902.)	9.1. Nicely formed flower and delightfully scented, with very broad petals of soft French pink. Tall and robust	75
41. <i>Floral Treasure</i> . (Rosenfield, 1900.)	7.5. Large, rose type; pale lilac-rose; fragrant. Tall; free bloomer. One of the best commercial blooms	30
42. <i>La Tulipe</i> . (Calot, 1872.)	7.5. Large, flat, lilac-white bloom with crimson stripes on outer petals; fragrant. Tall; free bloomer. Good variety	30
43. <i>Asa Gray</i> . (Crousse, 1886.)	8.1. Lilac, sprinkled with minute dots of deeper lilac. Very striking	40
44. <i>Venus</i> . (Kelway, 1888.)	8.3. High-crowned, delicate shell-pink, beautiful, compact bloom. Extra good for cut-flowers	50
45. <i>Marie Crousse</i> . (Crousse, 1892.)	8.9. Double type; very large; guards large; central petals broad, pale pink, shaded rose; moderately fragrant. Floriferous; medium height; stiff stems	50
46. <i>Rose Shaylor</i> . (Shaylor, 1920.)	9.1. Flat, double, very large, flesh-pink bloom, tinted rose-pink; center petals marked crimson; mildly fragrant. Tall; strong; free flowering; stiff stems	10 00

LATE

47. <i>Phyllis Kelway</i> . (Kelway, 1908.)	9.0. Semi-double type; cup form; very large; rose-pink, paling to white in center; faintly fragrant. Medium height; free bloomer; strong stems	2 50
48. <i>Katharine Havemeyer</i> . (Thurlow, 1921.)	9.0. Blooms double, large, light rose-pink, with a tinge of old-rose; fragrant. Average height; floriferous; strong stems	8 00
49. <i>Thomas C. Thurlow</i> . (Thurlow, 1919.)	9.1. Flowers double, large, flesh-pink, paling to cream-white; center of yellow petaloids; rich, spicy perfume. Floriferous; strong stems	10 00
50. <i>June Day</i> . (Franklin, 1920.)	9.0. Large, double, old-rose-pink flowers, white outer petals; shows a crimson line in center; fragrant. Medium height; floriferous; good stems	4 00
51. <i>Edwin C. Shaw</i> . (Thurlow, 1919.)	9.1. Delightfully fragrant, double, very large, light old-rose blooms, with flesh-pink tones in center; occasional red edges; fragrant. Medium height; fairly floriferous	3 00
52. <i>Florence Macbeth</i> . (Sass, 1924.)	9.2. Double, very large, broad, flat, shell-pink flowers, deepening toward center; slightly fragrant. Moderately tall; floriferous; strong stems	8 00
53. <i>Mary Woodbury Shaylor</i> . (Shaylor, 1916.)	9.0. Very large, double, flesh-white blooms, illuminated by golden reflections from the stamens; fragrant. Very floriferous; dwarf; stiff stems	1 50
54. <i>Solange</i> . (Lémoine, 1907.)	9.7. Extra-large blooms, with broad, rounded petals, suffused with a reddish golden light. One of the very finest	75

MIDSEASON PALE PINK PEONIES, continued

55. <i>Therese</i> . (Dessert, 1904.)	9.8. Very large, rose type with later a high crown, violet-rose, changing to lilac-white in the center. Strong; medium tall. Very desirable	1 00
56. <i>L'Indispensable</i> . (Unknown.)	7.3. Very full, globular, rose type; lilac-white, shading to rose. Tall	45
57. <i>Mme. Jules Dessert</i> . (Dessert, 1909.)	9.4. Flowers very large, well formed, with great long, broad petals of flesh-white. One of the finest	1 00
58. <i>Reine Hortense</i> . (Calot, 1873.)	8.7. Large, compact flower, with broad, rounded petals of soft flesh color; guard and center petals marked carmine. Tall and vigorous grower	50
59. <i>Marguerite Gerard</i> . (Crousse, 1892.)	8.4. Bloom large, flat, blush-pink. Tall; strong grower; free bloomer. Greatly admired	75
60. <i>Eugene Verdier</i> . (Calot, 1864.)	8.3. Large, compact, pale hydrangea-pink bloom; fragrant. Free bloomer	30
61. <i>Frances Willard</i> . (Brand, 1907.)	9.1. Blush-white flowers of large size and delicate texture, changing to white with age. Tall, strong grower	50
62. <i>Queen Emma</i> . (Unknown.)	Large, bright light pink, fragrant flowers of rose type on strong, erect stems. Free bloomer	50

LATE

63. <i>La Perle</i> . (Crousse, 1886.)	8.5. Very large, globular white flowers, with a bluish center flecked with carmine. Tall, upright grower	50
64. <i>Albert Crousse</i> . (Crousse, 1893.)	8.6. Very large, bomb-type flower of rose type; pale blood-red; fragrant. Tall; free bloomer like a big, fresh carnation	30
65. <i>Mlle. Leonie Calot</i> .	8.1. One of the grandest tall-growing Peonies. Delicate soft lilac-pink. Free bloomer	40
66. <i>President Wilson</i> . (Thurlow, 1918.)	9.3. Double, very large, bomb type; pale lilac-rose; fragrant; splendid keeper. Free bloomer. Also known as Lady Leonora Brannell	30
67. <i>Jeannot</i> . (Dessert, 1920.)	8.7. Large, silvery, intensely pink flower with no blue or yellow	2 50

LATE

68. <i>Nancy Dolman</i> . (Vories, 1924.)	9.1. Very large, double, pale rose-pink flower becoming pinkish white in center. Tall, robust; floriferous; stiff stems	10 00
69. <i>A. M. Slocum</i> . (Franklin, 1920.)	9.0. A dwarf, floriferous variety with wavy stems. Its large, double blooms open pale rose-pink; center light, disclosing stamens	2 00
70. <i>Sarah K. Thurlow</i> . (Thurlow, 1921.)	9.1. Double; very delicate pink when half open, pure white when open; rose fragrance. Average height; floriferous; strong buds	1 75
71. <i>Mme. Emilie Galle</i> . (Crousse, 1881.)	8.5. Large, flat rose-type bloom of deep lilac-pink, changing to white in center. Strong; free bloomer	30
72. <i>Sarah Bernhardt</i> . (Lémoine, 1906.)	9.0. Flat, semi-rose type; large, imbricated petals of apple-hlossom-pink	60

LATE

73. <i>Harriet Farnsley</i> . (Brand, 1916.)	7.9. Beautiful shell-pink, of shade rare in Peonies; rose scented. Medium height; free flowering; erect stems	60
74. <i>Samuel Henshaw</i> . (Richardson, 1904.)	7.5. Very large blooms of cream and pink intermixed	50
75. <i>Phoebe Cary</i> . (Brand, 1907.)	8.8. Petals large, broad, of good substance. Color a beautiful rose-pink. Tall grower. Very fragrant	50
76. <i>Tourangelle</i> . (Dessert, 1910.)	9.4. Rose type; mauve and rose shadings; very fragrant. Vigorous grower; long stems	1 50
77. <i>Milton Hill</i> . (Richardson, 1891.)	9.0. Very large, globular, compact, rose type; pale lilac-rose	1 00

LATE

78. <i>Grandiflora</i> . (Richardson, 1883.)	8.8. The last Peony to bloom. Very large, flat, rose-type blooms of rose-white; extremely fragrant. A gem
--	---

INTRODUCTION

In presenting the Peony, the Queen of Flowers, we wish to say to the reader, by way of introduction, that Sinking Spring, Pa., with its surrounding territory, is famous for its Peonies. The soil and the climate are well adapted to the growth of this beautiful flower, which in delicacy of tint and fragrance more nearly approaches the rose than any other flower. If you are a lover of flowers, you are making a wise choice in selecting Peonies to grow, as they are the most satisfactory, being the easiest to raise of any and all flowers for this country, particularly the North. They are the most hardy, the most showy, the most dependable, the most reliable, the most wonderful flowers, and we might say the only flowers you can't kill with neglect. Immense quantities of the blooms are shipped to the large flower-markets of the eastern cities in May and June, and thousands of Peony roots are shipped to the lovers of this flower residing in all parts of the United States, during the planting season.

Eight Weeks of Peony Bloom. We have these beautiful flowers with us for nearly two months. You may share our enjoyment with us for the same length of time by consulting this folder and planting the varieties as they are classified, from the earliest to the very latest bloomers.

Time to Plant. The proper time to plant Peonies is in the autumn, beginning about September 1, although the early May-flowering section can be planted as early as August 15, and the planting of the roots can be continued until the ground freezes. To prevent heaving of the roots by frost, they should be covered with a mulch of leaves or strawy manure the first season. Peonies can also be planted successfully in spring if this is done early, as soon as the frost is out and the soil is dry enough.

Our Roots. Our roots have been tested on our grounds, and every one is true to name. If you wish to adorn your lawn or garden with true stock, correctly labeled, do not overlook this list. As to size, quality, and strength of our roots, they rank with the best on the market, and will usually bloom the first year.

FULL CULTURAL DIRECTIONS INCLUDED WITH EVERY SHIPMENT

Japanese Peonies

This is a type of Herbaceous Peony developed from the single type. In the process of development, the stamens and anthers have lost their character as such, and have become transformed into narrow, thick petaloids or into narrow petals tipped with vestiges of the yellow anthers without pollen, and are surrounded by five or more broad guard petals.

They are strong growers, and many fine varieties, embracing a wide range of color, have been imported to this country from Japan; some seedlings of exceptional merit have also been produced by American growers. Grow under the same conditions as the so-called Chinensis Peonies and require the same treatment.

134. Ama-no-sode. (Japan.) 9.2. One of the best "Japs." Each	
Bright rose-pink. Staminoids yellow, edged gold and faced pink. Very large. Midseason	\$5 00
135. Fuyajo. (Japan.) 9.2. Rich mahogany-red; center petaloids red, tipped chamois; medium size. Midseason	2 50
136. Isani Gidui. (Japan.) 9.3. Pure white; center petals edged and tipped gold; very large. Midseason	5 00
137. Mikado. (Peterson, 1893.) 8.6. Uniform crimson guards; staminoids of yellow, faced crimson. Good. Medium size. Midseason	1 25
138. Some-ganoko. (Japan.) 9.0. Velvety dark red; center petals golden yellow, streaked red; large. Midseason	2 50
139. Tamate-boku (also known as Tomatbako). (Japan.) 9.4. The largest "Jap." Bright pink; center yellow and tipped pink; gold edges. Midseason	12 00
140. Tokio. (Intro. Dessert, 1910.) 8.9. Large; rose-pink; staminoids tipped white, tinted yellow. Midseason	2 50
141. Toro-no-maki. (Japan.) 9.0. Very large; flesh, changing to lilac-white; center staminoids white, edged yellow. Midseason	5 00

Early May-Flowering Peonies

	Each
1. Tenuifolia fl.-pl. Double, crimson-red flowers. Fernlike foliage	\$2 00
2. Corallina. Single, brilliant crimson flower. Rather fine-cut foliage	1 00
3. Officinalis rubra plena. Large, brilliant deep crimson flower—the old-fashioned "Piney" of our grandmothers. Extensively used on Memorial Day	60
4. Officinalis alba mutabilis. Light pink, changing to white	90
5. Officinalis rosea plena. Earliest, rich rose	65
6. Officinalis alba plena. Large, convex, double, pure white bloom. A very scarce and valuable variety	1 25

TERMS

Terms Cash. Goods forwarded at purchaser's risk. C.O.D. orders must be accompanied by one-fourth the purchase price. We can furnish extra-large clumps of some of the varieties of Peonies. Prices on application.

The prices quoted are for stock packed for shipment f.o.b. Sinking Spring, Pa., and are offered subject to being unsold upon receipt of order. Purchasers must state whether goods shall be shipped by Express or by Freight and name the route desired.

If nothing is said, we will ship by Express. We advise Express.

DISCOUNTS

Orders amounting to \$10	5 per cent off
Orders amounting to \$25	10 per cent off
Orders amounting to \$50 and upward	15 per cent off

Single Peonies

These resemble anemones in form, consisting of a central cushion of yellow stamens surrounded by one row of guard petals in all shades and tints of color, and are a very desirable type of Peony both for landscape effect and for cut-flowers.

We offer only the finest varieties.

142. Helen. (Thurlow, 1922.) 9.0. Deep shell-pink. A new variety that is still rare. Beautiful	\$9 00
143. Le Jour. (Shaylor, 1915.) 8.6. Pure white, with gold stamens. Remarkable substance. Midseason	2 00
144. Mafeking. (Kelway.) 8.2. Bright scarlet-crimson. One of the brightest singles	1 50
145. Marguerite Dessert. (Dessert, 1913.) 8.5. White, evenly powdered with minute dots of carmine; stamens yellow	2 50
146. Mellin Knight. (Brand, 1920.) Rich, dark red; stamens golden yellow	2 00
147. Nellie. (Kelway, 1915.) 8.6. A very large flower of uniform shell-pink	2 50
148. Pride of Langport. (Kelway, 1909-10.) 8.9. Soft, pleasing shade of pink; long yellow stamens	3 00
149. Rosy Dawn. (Barr.) 8.5. Opens soft pink, changes to pure white. Midseason	2 00
150. The Moor. (Barr.) 7.8. Tall, showy flower of very dark garnet; yellow stamens. Early	1 50

151. Tritoma Pfitzeri

Red-Hot Poker; Flame Flower; Torch Lily

This variety is the best of the Tritoma family. Orange-scarlet blooms shading to salmon-rose at edge. Hardy south of Philadelphia, but needs protection north of Philadelphia. 20 cts. each; \$2 per doz.



Tritoma pfitzeri